



Excelbis Labs
1920 E Warner Avenue
Santa Ana, CA 92705

(714) 987-2095
http://excelbislabs.com
Lic# C8-0000059-LIC

Blue Dream

Sample ID: 2504EXL2045.8131
Strain: Blue Dream
Matrix: Concentrates & Extracts
Type: Vape
Sample Size: ; Batch:

Produced:
Collected:
Received:
Completed: 01/07/2026
Batch#: 25253-066

Client
University
Lic. #127009
N/A
N/A, CA92705



Summary

| Test | Date Tested | Result |
|-------------------|-------------|----------|
| Batch | | Pass |
| Cannabinoids | | Complete |
| Foreign Matter | 01/07/2026 | Complete |
| Heavy Metals | | Pass |
| Microbials | | Pass |
| Mycotoxins | | Pass |
| GCMS Pesticides | | Pass |
| LCMS Pesticides | | Pass |
| Residual Solvents | | Pass |

Cannabinoids

Complete

| | | |
|----------------------------|----------------------------|--------------------------------------|
| 0.276% Total THC | 2.868% Total CBD | 77.641% Total Cannabinoids |
|----------------------------|----------------------------|--------------------------------------|

| Analyte | LOD | LOQ | Result | Result |
|------------------|-------|-------|---------------|----------------|
| | mg/g | mg/g | % | mg/g |
| CBC | 0.009 | 0.025 | 1.4120 | 14.120 |
| CBD | 0.025 | 0.100 | 2.4171 | 24.171 |
| CBDa | 0.019 | 0.050 | 0.5140 | 5.140 |
| CBDV | 0.125 | 1.000 | ND | ND |
| CBDVa | 0.257 | 0.780 | ND | ND |
| CBG | 0.019 | 0.100 | ND | ND |
| CBGa | 0.125 | 0.250 | ND | ND |
| CBN | 0.009 | 0.050 | ND | ND |
| Δ8-THC | 0.025 | 0.100 | ND | ND |
| Δ9-THC | 0.019 | 0.100 | 0.2763 | 2.763 |
| THCa | 0.013 | 0.050 | ND | ND |
| THCV | 0.025 | 0.100 | ND | ND |
| Total THC | | | 0.276 | 2.763 |
| Total CBD | | | 2.868 | 28.679 |
| Total CBG | | | ND | ND |
| Total | | | 77.641 | 776.410 |

Date Tested:
 Total THC = THCa * 0.877 + Δ9-THC + Δ8-THC; Total CBD = CBDa * 0.877 + CBD; Total CBG = CBGa * 0.877 + CBG.
 Total Cannabinoids = Total THC + Total CBD + Total CBG + minor cannabinoids.
 Cannabinoids: HPLC, SOP-004
 Water Activity: Water Activity Meter, SOP-012
 Moisture Content: Moisture Analyzer, SOP-011
 Foreign Matter: Visual Inspection, SOP-001



Scott A. Robertson
 Scott Robertson
 Lab Director
 10/07/2025

Con dent LIMS
 All Rights Reserved
 coa.support@con dentlims.com
 (866) 506-5866
 www.con dentlims.com



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC. This Certificate of Analysis is limited to the sample tested in a batch. This Certificate does not make any representation or warranty for all Products within the tested Batch.



Excelbis Labs
1920 E Warner Avenue
Santa Ana, CA 92705

(714) 987-2095
http://excelbislabs.com
Lic# C8-0000059-LIC

Blue Dream

Sample ID: 2504EXL2045.8131
Strain: Blue Dream
Matrix: Concentrates & Extracts
Type: Vape
Sample Size: ; Batch:


Produced:
Collected:
Received:
Completed: 01/07/2026
Batch#: 25253-066

Client
University
Lic. #127009
N/A
N/A, CA92705

Cannabinoids

Analyte

| Analyte | LOD | LOQ | Result | Complete Result |
|---------|-------|-------|---------|-----------------|
| THCp | mg/g | mg/g | % | mg/g |
| Total | 0.257 | 0.780 | 73.0847 | 730.847 |
| | | | 77.641 | 776.410 |



EXCELBIS

LABS

Total THC = THCa * 0.877 + Δ9-THC + Δ8 THC; Total CBD = CBDa * 0.877 + CBD; Total CBG = CBGa * 0.877 + CBG.
Total Cannabinoids = Total THC + Total CBD + Total CBG + minor cannabinoids.
Cannabinoids: HPLC, SOP-004
Water Activity: Water Activity Meter, SOP-012
Moisture Content: Moisture Analyzer, SOP-011
Foreign Matter: Visual Inspection, SOP-001



Scott A. Robertson
Scott Robertson
Lab Director
10/07/2025

Con dent LIMS
All Rights Reserved
coa.support@con dentlims.com
(866) 506-5866
www.con dentlims.com



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC. This Certificate of Analysis is limited to the sample tested in a batch. This Certificate does not make any representation or warranty for all Products within the tested Batch.



Excelbis Labs
1920 E Warner Avenue
Santa Ana, CA 92705

(714) 987-2095
http://excelbislabs.com
Lic# C8-000059-LIC

Blue Dream

Sample ID: 2504EXL2045.8131
Strain: Blue Dream
Matrix: Concentrates & Extracts
Type: Vape
Sample Size: ; Batch:

Produced:
Collected:
Received:
Completed: 01/07/2026
Batch#: 25253-066

Client
University
Lic. #127009
N/A
N/A, CA92705

GC Pesticides

Pass

| Analyte | LOD | LOQ | Limit | Mass | Status |
|--------------------------------------|--------|--------|--------|------|--------|
| | µg/g | µg/g | µg/g | µg/g | |
| Captan | 0.231 | 0.7 | 0.7 | ND | Pass |
| Chlordane (trans + cis) | 0.0116 | 0.035 | 0.0116 | ND | Pass |
| Chlorfenapyr | 0.0058 | 0.0175 | 0.0058 | ND | Pass |
| Cyuthrin | 0.0231 | 0.07 | 2 | ND | Pass |
| Cypermethrin | 0.0231 | 0.07 | 1 | ND | Pass |
| Parathion Methyl | 0.0058 | 0.0175 | 0.0058 | ND | Pass |
| Pentachloronitrobenzene (Quintozene) | 0.0231 | 0.07 | 0.1 | ND | Pass |

Mycotoxins

Pass

| Analytes | LOD | LOQ | Limit | Conc. | Status |
|-----------------|--------|---------|-------|-------|--------|
| | µg/kg | µg/kg | µg/kg | µg/kg | |
| A atoxin B1 | 1.7000 | 5.0000 | | ND | Tested |
| A atoxin B2 | 1.7000 | 5.0000 | | ND | Tested |
| A atoxin G1 | 1.7000 | 5.0000 | | ND | Tested |
| A atoxin G2 | 1.7000 | 5.0000 | | ND | Tested |
| Ochratoxin A | 6.6000 | 20.0000 | 20 | ND | Pass |
| Total A atoxins | | | 20 | ND | Pass |

Microbials

Pass

| Analyte | Limit | Detected / Not Detected | Status |
|-------------------------------|-------|-------------------------|--------|
| | RFU/g | RFU/g | |
| Aspergillus avus | 0 | Not Detected | Pass |
| Aspergillus fumigatus | 0 | Not Detected | Pass |
| Aspergillus niger | 0 | Not Detected | Pass |
| Aspergillus terreus | 0 | Not Detected | Pass |
| Shiga toxin-producing E. Coli | 0 | Not Detected | Pass |
| Salmonella SPP | 0 | Not Detected | Pass |

Heavy Metals

Pass

| Analyte | LOD | LOQ | Limit | Conc. | Status |
|---------|---------|-------|-------|-------|--------|
| | PPM | PPM | PPM | PPM | |
| Arsenic | 0.0150 | 0.05 | 0.2 | ND | Pass |
| Cadmium | 0.0113 | 0.05 | 0.2 | ND | Pass |
| Lead | 0.00615 | 0.05 | 0.5 | ND | Pass |
| Mercury | 0.00126 | 0.005 | 0.1 | ND | Pass |

GCMS Date Tested:
Pesticides: GC-MS/MS. GCMS Method SOP-006
LCMS Date Tested:
Mycotoxins Footnote: Mycotoxins: LC-MS/MS, LCMS Method LCP-SOP-001
Microbial Date Tested:
Microbials Footnote: Microbial: SOP-010
RFU = Relative Fluorescence Units
Heavy Metals Date Tested:
Heavy Metals: Heavy Metals: ICP-MS, SOP-007



Scott A. Robertson
Scott Robertson
Lab Director
10/07/2025

Con dent LIMS
All Rights Reserved
coa.support@con dentlims.com
(866) 506-5866
www.con dentlims.com



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC. This Certificate of Analysis is limited to the sample tested in a batch. This Certificate does not make any representation or warranty for all Products within the tested Batch.



Blue Dream

Sample ID: 2504EXL2045.8131
Strain: Blue Dream
Matrix: Concentrates & Extracts
Type: Vape
Sample Size: ; Batch:

Produced:
Collected:
Received:
Completed: 01/07/2026
Batch#: 25253-066

Client
University
Lic. #127009
N/A
N/A, CA92705

LC Pesticides

| Analyte | LOD | LOQ | Limit | Result | Status | Analyte | LOD | LOQ | Limit | Result | Status |
|-----------------------|-------|------|-------|--------|--------|---|--------|------|-------|--------|--------|
| | µg/g | µg/g | µg/g | µg/g | | | µg/g | µg/g | µg/g | µg/g | |
| Abamectin | 0.033 | 0.1 | 0.1 | ND | Pass | Imazalil | 0.033 | 0.1 | 0.033 | ND | Pass |
| Acephate | 0.033 | 0.1 | 0.1 | ND | Pass | Imidacloprid | 0.033 | 0.1 | 5 | ND | Pass |
| Acequinocyl | 0.033 | 0.1 | 0.1 | ND | Pass | Kresoxim Methyl | 0.033 | 0.1 | 0.1 | ND | Pass |
| Acetamiprid | 0.033 | 0.1 | 0.1 | ND | Pass | Malathion | 0.033 | 0.1 | 0.5 | ND | Pass |
| Aldicarb | 0.033 | 0.1 | 0.1 | ND | Pass | Metalaxyl | 0.033 | 0.1 | 2 | ND | Pass |
| Azoxystrobin | 0.033 | 0.1 | 0.033 | ND | Pass | Methiocarb | 0.033 | 0.1 | 0.033 | ND | Pass |
| Bifenazate | 0.033 | 0.1 | 0.1 | ND | Pass | Methomyl | 0.033 | 0.1 | 1 | ND | Pass |
| Bifenthrin | 0.033 | 0.1 | 0.1 | ND | Pass | Mevinphos | 0.033 | 0.1 | 0.033 | ND | Pass |
| Boscalid | 0.033 | 0.1 | 3 | ND | Pass | Myclobutanil | 0.033 | 0.1 | 0.1 | ND | Pass |
| Carbaryl | 0.033 | 0.1 | 0.1 | ND | Pass | Naled | 0.033 | 0.1 | 0.1 | ND | Pass |
| Carbofuran | 0.033 | 0.1 | 0.5 | ND | Pass | Oxamyl | 0.033 | 0.1 | 0.1 | ND | Pass |
| Chlorantraniliprole | 0.033 | 0.1 | 0.033 | ND | Pass | Paclobutrazol | 0.033 | 0.1 | 0.5 | ND | Pass |
| Chlorpyrifos | 0.033 | 0.1 | 10 | ND | Pass | Permethrin (trans + cis) | 0.033 | 0.1 | 0.033 | ND | Pass |
| Clofentezine | 0.033 | 0.1 | 0.033 | ND | Pass | Phosmet | 0.033 | 0.1 | 0.5 | ND | Pass |
| Coumaphos | 0.033 | 0.1 | 0.1 | ND | Pass | Piperonyl Butoxide | 0.033 | 0.1 | 0.1 | ND | Pass |
| Daminozide | 0.033 | 0.1 | 0.033 | ND | Pass | Prallethrin | 0.033 | 0.1 | 3 | ND | Pass |
| Diazinon | 0.033 | 0.1 | 0.033 | ND | Pass | Propiconazole | 0.033 | 0.1 | 0.1 | ND | Pass |
| Dichlorvos | 0.1 | 0.1 | 0.1 | ND | Pass | Propoxur | 0.033 | 0.1 | 0.033 | ND | Pass |
| Dimethoate | 0.033 | 0.1 | 0.033 | ND | Pass | Pyrethrins (Cinerin + Jasmolin + Pyrethrin) | 0.0133 | 0.04 | 0.5 | ND | Pass |
| Dimethomorph (I + II) | 0.033 | 0.1 | 0.033 | ND | Pass | Pyridaben | 0.033 | 0.1 | 0.1 | ND | Pass |
| Ethoprophos | 0.033 | 0.1 | 2 | ND | Pass | Spinetoram (J + L) | 0.033 | 0.1 | 0.1 | ND | Pass |
| Etofenprox | 0.033 | 0.1 | 0.033 | ND | Pass | Spinosyn (A + D) | 0.033 | 0.1 | 0.1 | ND | Pass |
| Etoxazole | 0.033 | 0.1 | 0.033 | ND | Pass | Spiromesifen | 0.033 | 0.1 | 0.1 | ND | Pass |
| Fenhexamid | 0.033 | 0.1 | 0.1 | ND | Pass | Spirotetramat | 0.033 | 0.1 | 0.1 | ND | Pass |
| Fenoxycarb | 0.033 | 0.1 | 0.1 | ND | Pass | Spiroxamine | 0.033 | 0.1 | 0.033 | ND | Pass |
| Fenpyroximate | 0.033 | 0.1 | 0.033 | ND | Pass | Tebuconazole | 0.033 | 0.1 | 0.1 | ND | Pass |
| Fipronil | 0.033 | 0.1 | 0.1 | ND | Pass | Thiacloprid | 0.033 | 0.1 | 0.033 | ND | Pass |
| Flonicamid | 0.033 | 0.1 | 0.033 | ND | Pass | Thiamethoxam | 0.033 | 0.1 | 5 | ND | Pass |
| Fludioxonil | 0.033 | 0.1 | 0.1 | ND | Pass | Tri oxystrobin | 0.033 | 0.1 | 0.1 | ND | Pass |
| Hexythiazox | 0.033 | 0.1 | 0.1 | ND | Pass | | | | | | |



LCMS Date Tested:
Pesticides: LC-MS/MS. LCMS Method SOP-005



Scott A. Robertson
Scott Robertson
Lab Director
10/07/2025

Con dent LIMS
All Rights Reserved
coa.support@con dentlims.com
(866) 506-5866
www.con dentlims.com



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC. This Certificate of Analysis is limited to the sample tested in a batch. This Certificate does not make any representation or warranty for all Products within the tested Batch.



Excelbis Labs
1920 E Warner Avenue
Santa Ana, CA 92705

(714) 987-2095
http://excelbislabs.com
Lic# C8-000059-LIC

Blue Dream

Sample ID: 2504EXL2045.8131
Strain: Blue Dream
Matrix: Concentrates & Extracts
Type: Vape
Sample Size: ; Batch:

Produced:
Collected:
Received:
Completed: 01/07/2026
Batch#: 25253-066

Client
University
Lic. #127009
N/A
N/A, CA92705

Residual Solvents

Pass

| Analyte | Acetone | LOD | LOQ | Limit | Conc. | Status |
|-------------------------|-------------------|---------|---------|-------|-------|--------|
| Acetonitrile | Benzene | µg/g | µg/g | µg/g | µg/g | Pass |
| Butane | Chloroform | 15.4688 | 46.875 | 5000 | ND | Pass |
| 1, 2-Dichloroethane | | 15.4688 | 46.875 | 410 | ND | Pass |
| Ethanol | Ethyl | 0.1547 | 0.4688 | 1 | ND | Pass |
| Acetate | Ethyl Ether | 15.4688 | 46.875 | 5000 | ND | Pass |
| Ethylene | Oxide | 0.1547 | 0.4688 | 1 | ND | Pass |
| Heptane | Hexane | 0.1547 | 0.4688 | 1 | ND | Pass |
| Isopropyl | Alcohol | 15.4688 | 46.875 | 5000 | ND | Pass |
| Methanol | Methylene | 15.4688 | 46.875 | 5000 | ND | Pass |
| Chloride | Pentane | 15.4688 | 46.875 | 5000 | ND | Pass |
| Propane | Toluene | 0.1547 | 0.4688 | 1 | ND | Pass |
| Total Xylenes (o, m, p) | Trichloroethylene | 15.4688 | 46.875 | 5000 | ND | Pass |
| | | 15.4688 | 46.875 | 290 | ND | Pass |
| | | 15.4688 | 46.875 | 5000 | ND | Pass |
| | | 15.4688 | 46.875 | 3000 | ND | Pass |
| | | 0.1547 | 0.4688 | 1 | ND | Pass |
| | | 15.4688 | 46.875 | 5000 | ND | Pass |
| | | 15.4688 | 46.875 | 5000 | ND | Pass |
| | | 15.4688 | 46.875 | 890 | ND | Pass |
| | | 46.4063 | 140.625 | 2170 | ND | Pass |
| | | 0.1547 | 0.4688 | 1 | ND | Pass |

EXCELBIS
LABS

Date Tested:
Residual Solvents: HS-GC-MS RS Method SOP-009



Accreditation #128081
ISO/IEC 17025:2017

Scott A. Robertson

Scott Robertson
Lab Director
10/07/2025

Con dent LIMS
All Rights Reserved
coa.support@con dentlms.com
(866) 506-5866
www.con dentlms.com



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC. This Certificate of Analysis is limited to the sample tested in a batch. This Certificate does not make any representation or warranty for all Products within the tested Batch.