

PharmLabs San Diego Certificate of Analysis



Sample **Sour Apple**

Sample ID SD251030-008 (126520)	Matrix Edible				
Tested for Madison Brand					
Sampled -	Received Oct 30, 2025	Reported Nov 06, 2025			
Analyses executed 4AD, AMU, PSY	Unit Mass (g) 50.207	Num. of Servings 10	Serving Size (g) 5.02		

Laboratory note: No formulation disclosure was provided for this particular sample. Under the current method, chromatographic interference with N-methyl Tryptamine (NMT) and 4-Hydroxy-MET (4-HO-MET) prevents definitive identification of the compound present.

4AD - 4AD Tryptamines

Analyzed Nov 05, 2025 | Instrument HPLC VWD | Method SOP-4AD
 The expanded Uncertainty of the 4AD Tryptamines analysis is approximately ±7.81% at the 95% Confidence Level

Analyte	LOD ppm	LOQ ppm	Result %	Result mg/g	Result mg/Serving	Result mg/Unit	Sample photography
Mescaline (MESc)	0.19	0.584	ND	ND	ND	ND	
N-methyl Tryptamine (NMT)	0.004	0.013	ND	ND	ND	ND	
4-Hydroxy-MET (4-HO-MET)	0.013	0.04	0.01	0.13	0.65	6.53	
n,n Dimethyltryptamine (DMT)	0.015	0.048	ND	ND	ND	ND	
Psilacetin (PSLA)	0.015	0.044	ND	ND	ND	ND	
4-Hydroxy-DET (4-HO-DET)	0.014	0.042	ND	ND	ND	ND	
4-Acetoxy-MET (4-AcO-MET)	0.018	0.053	ND	ND	ND	ND	
4-Acetoxy-DET (4-AcO-DET)	0.004	0.011	ND	ND	ND	ND	
4-Bromo-DMP (2C-B)	0.19	0.576	ND	ND	ND	ND	
Total Analyzed	-	-	0.01	0.13	0.65	6.53	

AMU - Amanita Muscaria

Analyzed Oct 31, 2025 | Instrument HPLC VWD | Method SOP-039 AMU
 The expanded Uncertainty of the Amanita Muscaria analysis is approximately ±7.81% at the 95% Confidence Level

Analyte	LOD ppm	LOQ ppm	Result %	Result mg/g	Result mg/Serving	Result mg/Unit
Ibotenic Acid (IBOa)	1.025	3.105	ND	ND	ND	ND
Muscimol (MUOL)	0.19	0.576	ND	ND	ND	ND

PSY - Psilocybin & Psilocin

Analyzed Oct 31, 2025 | Instrument HPLC VWD | Method SOP-PSY
 The expanded Uncertainty of the Psilocybin & Psilocin analysis is approximately ±7.81% at the 95% Confidence Level

Analyte	LOD ppm	LOQ ppm	Result %	Result mg/g	Result mg/Serving	Result mg/Unit
Psilocybin (PSCY)	0.007	0.019	ND	ND	ND	ND
Psilocin (PSCI)	0.003	0.009	ND	ND	ND	ND

UI Unidentified
 ND Not Detected
 N/A Not Applicable
 NT Not Reported
 LOD Limit of Detection
 <LOQ Limit of Quantification
 <LOQ Detected
 >ULOL Above upper limit of linearity
 CFU/g Colony Forming Units per 1 gram
 TNTC Too Numerous to Count



DEA license: RP0611043
 ISO/IEC 17025:2017 Acc. 85368



Scan the QR code to verify authenticity.

Authorized Signature

Brandon Starr

Brandon Starr, Quality Assurance Manager
 Thu, 06 Nov 2025 12:30:18 -0800

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. 85368



PharmLabs hereby states that its Certificates of Analysis (COA) do not certify compliance with any federal, state, or local law or regulation, including but not limited to the 2019 Farm Bill. This COA is provided solely for informational purposes and is not intended for reliance by consumers or purchasers of a product. This report shall not be reproduced, except in full, without the prior written approval of PharmLabs. This report is not intended to diagnose, treat, cure, or prevent any disease. Results apply only to the specific sample(s) and batch(es) identified on this COA and do not represent any other lot, batch, or product from the client. Measurement of uncertainty is available upon request and, when legally required, has been reported on the certificate. PharmLabs makes no representation or warranty, express or implied, regarding the tested product's safety, efficacy, quality, merchantability, or fitness for a particular purpose. PharmLabs expressly disclaims any liability for damages, claims, costs, or expenses arising out of the use, misuse, or reliance upon this COA by any party. PharmLabs relies on information provided by the client regarding the identity, sampling, and chain of custody of the submitted material. PharmLabs assumes no responsibility for errors, omissions, or misrepresentations in such information. It is the sole responsibility of the client to determine and ensure the compliance of their product(s) with all applicable federal, state, and local laws and regulations. This COA may not be used in whole or in part for marketing, advertising, promotional, or labeling purposes without the prior written consent of PharmLabs. This COA is valid only as of the date of issuance and does not guarantee the stability or continued conformity of the tested product beyond that date. Any dispute arising out of or related to this COA shall be governed by the laws of the State of California, without regard to its conflict of laws principles.