



Excelbis Labs  
1920 E Warner Avenue  
Santa Ana, CA 92705

(714) 987-2095  
<http://excelbislabs.com>  
Lic# C8-0000059-LIC

QA Testing  
1 of 5

## Peach Breeze

Sample ID: 2504EXL2045.8414

Strain: Peach Breeze

Matrix: Ingestible

Type: Soft Chew

Sample Size: ; Batch:

Produced:

Collected:

Received:

Completed: 01/07/2026

Batch#: 25253-497

Client

University

Lic. #127009

18022 Cowan Irvine

CA 92614



### Summary

| Test              | Date Tested | Result         |
|-------------------|-------------|----------------|
| Batch             |             | Pass           |
| Cannabinoids      |             | Complete       |
| Foreign Matter    | 01/07/2026  | Complete       |
| Heavy Metals      |             | Pass           |
| Microbials        |             | Pass           |
| Mycotoxins        |             | Pass           |
| GCMS Pesticides   |             | Pass           |
| LCMS Pesticides   |             | Pass           |
| Residual Solvents |             | Pass           |
| Water Activity    |             | 0.06 aw - Pass |

### Cannabinoids

Complete

ND

Total THC

ND

Total CBD

499.556 mg/serving

Total Cannabinoids

| Analyte   | LOD   | LOQ   | Result | Result  | Result     | Result     |
|-----------|-------|-------|--------|---------|------------|------------|
|           | mg/g  | mg/g  | %      | mg/g    | mg/serving | mg/package |
| CBC       | 0.002 | 0.004 | ND     | ND      | ND         | ND         |
| CBD       | 0.004 | 0.008 | ND     | ND      | ND         | ND         |
| CBDa      | 0.003 | 0.008 | ND     | ND      | ND         | ND         |
| CBG       | 0.004 | 0.008 | ND     | ND      | ND         | ND         |
| CBN       | 0.002 | 0.004 | ND     | ND      | ND         | ND         |
| Δ8-THC    | 0.003 | 0.008 | ND     | ND      | ND         | ND         |
| Δ9-THC    | 0.003 | 0.008 | ND     | ND      | ND         | ND         |
| THCa      | 0.002 | 0.004 | ND     | ND      | ND         | ND         |
| THCV      | 0.004 | 0.008 | ND     | ND      | ND         | ND         |
| Total THC |       |       | ND     | ND      | ND         | ND         |
| Total CBD |       |       | ND     | ND      | ND         | ND         |
| Total CBG |       |       | ND     | ND      | ND         | ND         |
| Total     |       |       | 11.101 | 111.012 | 499.556    | 9991.116   |

Date Tested:

Total THC = THCa \* 0.877 + Δ9-THC + Δ8-THC; Total CBD = CBDa \* 0.877 + CBD; Total CBG = CBGa \* 0.877 + CBG.

Total Cannabinoids = Total THC + Total CBD + Total CBG + minor cannabinoids.

Cannabinoids: HPLC, SOP-004

Water Activity: Water Activity Meter, SOP-012

Moisture Content: Moisture Analyzer, SOP-011

Foreign Matter: Visual Inspection, SOP-001



Accreditation #128081  
ISO/IEC 17025:2017

Scott A. Robertson

Lab Director  
10/09/2025

Con dent LIMS  
All Rights Reserved  
[coa.support@con.dentlms.com](mailto:coa.support@con.dentlms.com)  
(866) 506-5866  
[www.con.dentlms.com](http://www.con.dentlms.com)



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC. This Certificate of Analysis is limited to the sample tested in a batch. This Certificate does not make any representation or warranty for all Products within the tested Batch.



Excelbis Labs  
1920 E Warner Avenue  
Santa Ana, CA 92705

(714) 987-2095  
<http://excelbislabs.com>  
Lic# C8-0000059-LIC

QA Testing  
2 of 5

## Peach Breeze

Sample ID: 2504EXL2045.8414

Strain: Peach Breeze

Matrix: Ingestible

Type: Soft Chew

Sample Size: ; Batch:

Produced:

Collected:

Received:

Completed: 01/07/2026

Batch#: 25253-497

Client

University

Lic. #127009


18022 Cowan Irvine

CA 92614

## Cannabinoids

Analyte

| THCp  | LOD<br>mg/g | LOQ<br>mg/g | Result<br>% | Result<br>mg/g | Result<br>mg/serving | Complete<br>Result<br>mg/container |
|-------|-------------|-------------|-------------|----------------|----------------------|------------------------------------|
| Total | 0.257       | 0.780       | 11.1012     | 111.012        | 499.556              | 9991.116                           |
|       |             |             | 11.101      | 111.012        | 499.556              | 9991.116                           |



# EXCELBIS LABS

Total THC = THCa \* 0.877 + Δ9-THC + Δ8-THC; Total CBD = CBDa \* 0.877 + CBD; Total CBG = CBGa \* 0.877 + CBG.

Total Cannabinoids = Total THC + Total CBD + Total CBG + minor cannabinoids.

Cannabinoids: HPLC, SOP-004

Water Activity: Water Activity Meter, SOP-012

Moisture Content: Moisture Analyzer, SOP-011

Foreign Matter: Visual Inspection, SOP-001



Accreditation #128081  
ISO/IEC 17025:2017

*Scott A. Robertson*

Scott Robertson  
Lab Director  
10/09/2025

Con dent LIMS  
All Rights Reserved  
[coa.support@con dentlims.com](mailto:coa.support@con dentlims.com)  
(866) 506-5866  
[www.con dentlims.com](http://www.con dentlims.com)



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC. This Certificate of Analysis is limited to the sample tested in a batch. This Certificate does not make any representation or warranty for all Products within the tested Batch.



Excelbis Labs  
1920 E Warner Avenue  
Santa Ana, CA 92705

(714) 987-2095  
http://excelbislabs.com  
Lic# C8-0000059-LIC

QA Testing  
3 of 5

## Peach Breeze

Sample ID: 2504EXL2045.8414

Strain: Peach Breeze

Matrix: Ingestible

Type: Soft Chew

Sample Size: ; Batch:

Produced:

Collected:

Received:

Completed: 01/07/2026

Batch#: 25253-497

Client

University

Lic. #127009

18022 Cowan Irvine

CA 92614

### GC Pesticides

Pass

| Analyte                              | LOD    | LOQ    | Limit  | Mass | Status |
|--------------------------------------|--------|--------|--------|------|--------|
|                                      | µg/g   | µg/g   | µg/g   | µg/g |        |
| Captan                               | 0.231  | 0.7    | 0.7    | ND   | Pass   |
| Chlordane (trans + cis)              | 0.0116 | 0.035  | 0.0116 | ND   | Pass   |
| Chlorfenapyr                         | 0.0058 | 0.0175 | 0.0058 | ND   | Pass   |
| Cyuthrin                             | 0.0231 | 0.07   | 2      | ND   | Pass   |
| Cypermethrin                         | 0.0231 | 0.07   | 1      | ND   | Pass   |
| Parathion Methyl                     | 0.0058 | 0.0175 | 0.0058 | ND   | Pass   |
| Pentachloronitrobenzene (Quintozone) | 0.0231 | 0.07   | 0.1    | ND   | Pass   |

### Mycotoxins

Pass

| Analytes        | LOD    | LOQ     | Limit | Conc. | Status |
|-----------------|--------|---------|-------|-------|--------|
|                 | µg/kg  | µg/kg   | µg/kg | µg/kg |        |
| A atoxin B1     | 1.7000 | 5.0000  |       | ND    | Tested |
| A atoxin B2     | 1.7000 | 5.0000  |       | ND    | Tested |
| A atoxin G1     | 1.7000 | 5.0000  |       | ND    | Tested |
| A atoxin G2     | 1.7000 | 5.0000  |       | ND    | Tested |
| Ochratoxin A    | 6.6000 | 20.0000 | 20    | ND    | Pass   |
| Total A atoxins |        |         | 20    | ND    | Pass   |

### Microbials

Pass

| Analyte                       | Limit | Detected / Not Detected | Status |
|-------------------------------|-------|-------------------------|--------|
|                               | RFU/g | RFU/g                   |        |
| Shiga toxin-producing E. Coli | 0     | Not Detected            | Pass   |
| Salmonella SPP                | 0     | Not Detected            | Pass   |

### Heavy Metals

Pass

| Analyte | LOD     | LOQ   | Limit | Conc. | Status |
|---------|---------|-------|-------|-------|--------|
|         | PPM     | PPM   | PPM   | PPM   |        |
| Arsenic | 0.0150  | 0.05  | 0.2   | ND    | Pass   |
| Cadmium | 0.0113  | 0.05  | 0.2   | ND    | Pass   |
| Lead    | 0.00615 | 0.05  | 0.5   | ND    | Pass   |
| Mercury | 0.00126 | 0.005 | 0.1   | ND    | Pass   |

GCMS Date Tested:

Pesticides: GC-MS/MS. GCMS Method SOP-006

LCMS Date Tested:

Mycotoxins Footnote: Mycotoxins: LC-MS/MS, LCMS Method LCP-SOP-001

Microbial Date Tested:

Microbials Footnote: Microbial: SOP-010

RFU = Relative Fluorescence Units

Heavy Metals Date Tested:

Heavy Metals: Heavy Metals: ICP-MS, SOP-007



Accreditation #128081  
ISO/IEC 17025:2017

Scott A. Robertson

Lab Director  
10/09/2025

Con dent LIMS  
All Rights Reserved  
coa.support@con dentlims.com  
(866) 506-5866  
www.con dentlims.com



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC. This Certificate of Analysis is limited to the sample tested in a batch. This Certificate does not make any representation or warranty for all Products within the tested Batch.



Excelbis Labs  
1920 E Warner Avenue  
Santa Ana, CA 92705

(714) 987-2095  
http://excelbislabs.com  
Lic# C8-0000059-LIC

QA Testing  
4 of 5

## Peach Breeze

Sample ID: 2504EXL2045.8414

Strain: Peach Breeze

Matrix: Ingestible

Type: Soft Chew

Sample Size: ; Batch:

Produced:

Collected:

Received:

Completed: 01/07/2026

Batch#: 25253-497

Client

University

Lic. #127009

18022 Cowan Irvine

CA 92614

## LC Pesticides

Pass

### Analyte

| LOD   | LOQ  | Limit | Result | Status | Analyte               | LOD   | LOQ  | Limit | Result | Status |
|-------|------|-------|--------|--------|-----------------------|-------|------|-------|--------|--------|
| µg/g  | µg/g | µg/g  | µg/g   |        |                       | µg/g  | µg/g | µg/g  | µg/g   |        |
| 0.033 | 0.1  | 0.1   | ND     | Pass   | Abamectin             | 0.033 | 0.1  | 0.033 | ND     | Pass   |
| 0.033 | 0.1  | 0.1   | ND     | Pass   | Acephate              | 0.033 | 0.1  | 5     | ND     | Pass   |
| 0.033 | 0.1  | 0.1   | ND     | Pass   | Acequinocyl           | 0.033 | 0.1  | 0.1   | ND     | Pass   |
| 0.033 | 0.1  | 0.1   | ND     | Pass   | Acetamiprid           | 0.033 | 0.1  | 0.5   | ND     | Pass   |
| 0.033 | 0.1  | 0.033 | ND     | Pass   | Aldicarb              | 0.033 | 0.1  | 2     | ND     | Pass   |
| 0.033 | 0.1  | 0.1   | ND     | Pass   | Azoxystrobin          | 0.033 | 0.1  | 0.033 | ND     | Pass   |
| 0.033 | 0.1  | 0.1   | ND     | Pass   | Bifenazate            | 0.033 | 0.1  | 1     | ND     | Pass   |
| 0.033 | 0.1  | 3     | ND     | Pass   | Bifenthrin            | 0.033 | 0.1  | 0.033 | ND     | Pass   |
| 0.033 | 0.1  | 0.1   | ND     | Pass   | Boscalid              | 0.033 | 0.1  | 0.1   | ND     | Pass   |
| 0.033 | 0.1  | 0.5   | ND     | Pass   | Carbaryl              | 0.033 | 0.1  | 0.1   | ND     | Pass   |
| 0.033 | 0.1  | 0.033 | ND     | Pass   | Carbofuran            | 0.033 | 0.1  | 0.5   | ND     | Pass   |
| 0.033 | 0.1  | 10    | ND     | Pass   | Chlorantraniliprole   | 0.033 | 0.1  | 0.033 | ND     | Pass   |
| 0.033 | 0.1  | 0.033 | ND     | Pass   | Chlorpyrifos          | 0.033 | 0.1  | 0.5   | ND     | Pass   |
| 0.033 | 0.1  | 0.1   | ND     | Pass   | Clofentezine          | 0.033 | 0.1  | 0.5   | ND     | Pass   |
| 0.033 | 0.1  | 0.1   | ND     | Pass   | Coumaphos             | 0.033 | 0.1  | 0.1   | ND     | Pass   |
| 0.033 | 0.1  | 0.033 | ND     | Pass   | Daminozide            | 0.033 | 0.1  | 3     | ND     | Pass   |
| 0.033 | 0.1  | 0.033 | ND     | Pass   | Diazinon              | 0.033 | 0.1  | 0.1   | ND     | Pass   |
| 0.1   | 0.1  | 0.1   | ND     | Pass   | Dichlorvos            | 0.033 | 0.1  | 0.1   | ND     | Pass   |
| 0.033 | 0.1  | 0.033 | ND     | Pass   | Dimethoate            | 0.033 | 0.1  | 0.033 | ND     | Pass   |
| 0.033 | 0.1  | 0.033 | ND     | Pass   | Dimethomorph (I + II) | 0.033 | 0.1  | 0.5   | ND     | Pass   |
| 0.033 | 0.1  | 2     | ND     | Pass   | Ethoprophos           | 0.033 | 0.1  | 0.1   | ND     | Pass   |
| 0.033 | 0.1  | 0.033 | ND     | Pass   | Etofenprox            | 0.033 | 0.1  | 0.1   | ND     | Pass   |
| 0.033 | 0.1  | 0.033 | ND     | Pass   | Etoazole              | 0.033 | 0.1  | 0.1   | ND     | Pass   |
| 0.033 | 0.1  | 0.1   | ND     | Pass   | Fenhexamid            | 0.033 | 0.1  | 0.1   | ND     | Pass   |
| 0.033 | 0.1  | 0.1   | ND     | Pass   | Fenoxycarb            | 0.033 | 0.1  | 0.1   | ND     | Pass   |
| 0.033 | 0.1  | 0.033 | ND     | Pass   | Fenpyroximate         | 0.033 | 0.1  | 0.033 | ND     | Pass   |
| 0.033 | 0.1  | 0.1   | ND     | Pass   | Fipronil              | 0.033 | 0.1  | 0.1   | ND     | Pass   |
| 0.033 | 0.1  | 0.033 | ND     | Pass   | Flonicamid            | 0.033 | 0.1  | 0.033 | ND     | Pass   |
| 0.033 | 0.1  | 0.1   | ND     | Pass   | Fludioxonil           | 0.033 | 0.1  | 5     | ND     | Pass   |
| 0.033 | 0.1  | 0.1   | ND     | Pass   | Hexythiazox           | 0.033 | 0.1  | 0.1   | ND     | Pass   |

EXCELBIS  
LABS

LCMS Date Tested:  
Pesticides: LC-MS/MS. LCMS Method SOP-005



Accreditation #128081  
ISO/IEC 17025:2017

Scott A. Robertson

Lab Director  
10/09/2025

Con dent LIMS  
All Rights Reserved  
coa.support@con dentlims.com  
(866) 506-5866  
www.con dentlims.com



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC. This Certificate of Analysis is limited to the sample tested in a batch. This Certificate does not make any representation or warranty for all Products within the tested Batch.



## Residual Solvents

Pass

| Analyte               | LOD     | LOQ     | Limit | Conc. | Status |
|-----------------------|---------|---------|-------|-------|--------|
|                       | µg/g    | µg/g    | µg/g  | µg/g  |        |
| Acetone               | 15.4688 | 46.875  | 5000  | ND    | Pass   |
| Acetonitrile          | 15.4688 | 46.875  | 410   | ND    | Pass   |
| Benzene               | 0.1547  | 0.4688  | 1     | ND    | Pass   |
| Butane                | 15.4688 | 46.875  | 5000  | ND    | Pass   |
| Chloroform1,2-        | 0.1547  | 0.4688  | 1     | ND    | Pass   |
| Dichloroethane        | 0.1547  | 0.4688  | 1     | ND    | Pass   |
| Ethanol               | 0.1547  | 0.4688  | 1     | ND    | Pass   |
| Ethyl Acetate         | 15.4688 | 46.875  | 5000  | ND    | Pass   |
| Ethyl                 | 15.4688 | 46.875  | 5000  | ND    | Pass   |
| Ether                 | 15.4688 | 46.875  | 5000  | ND    | Pass   |
| Ethylene Oxide        | 0.1547  | 0.4688  | 1     | ND    | Pass   |
| Heptane               | 15.4688 | 46.875  | 5000  | ND    | Pass   |
| Hexane                | 15.4688 | 46.875  | 290   | ND    | Pass   |
| Isopropyl             | 15.4688 | 46.875  | 5000  | ND    | Pass   |
| Alcohol               | 15.4688 | 46.875  | 3000  | ND    | Pass   |
| Methanol              | 0.1547  | 0.4688  | 1     | ND    | Pass   |
| Methylene             | 15.4688 | 46.875  | 5000  | ND    | Pass   |
| Chloride              | 15.4688 | 46.875  | 5000  | ND    | Pass   |
| Pentane               | 15.4688 | 46.875  | 5000  | ND    | Pass   |
| Propane               | 15.4688 | 46.875  | 890   | ND    | Pass   |
| Toluene               | 46.4063 | 140.625 | 2170  | ND    | Pass   |
| Total Xylenes (o,m,p) | 0.1547  | 0.4688  | 1     | ND    | Pass   |
| Trichloroethyle       |         |         |       |       |        |

EXCELBIS  
LABS

Date Tested:  
Residual Solvents: HS-GC-MS RS Method SOP-009



*Scott A. Robertson*  
Scott Robertson  
Lab Director  
10/09/2025

Con dent LIMS  
All Rights Reserved  
[coa.support@con.dentlims.com](mailto:coa.support@con.dentlims.com)  
(866) 506-5866  
[www.con.dentlims.com](http://www.con.dentlims.com)



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC. This Certificate of Analysis is limited to the sample tested in a batch. This Certificate does not make any representation or warranty for all Products within the tested Batch.